

LHC623 HEAT CONDUCTIVE SEALANT/RETAINER

Product: 003

Revision Date: : 2009/01/20

Section 1: PRODUCT INFORMATION

Chemical family: Mixture.

Product name: LHC623 Heat Conductive Sealant/Retainer

Manufacturer: *LOCK-N-STITCH* Inc.
1015 S.Soderquist Road.
Turlock, CA
95380.

Manufacturer emergency phone number: 813-248-0585 (CHEM TEL).

Information phone number: 209-632-2345

TDG classification: Not regulated.

WHMIS classification:

D2B



DSL status: The substance(s) listed in section 2 appear on the Domestic Substances List.

Supplier MSDS date: 2005/01/20

HMIS

H 2

F 1

R 1

PPE Sec. 7

Section 2: HAZARDOUS INGREDIENTS

C.A.S.	Conc% wgt/wgt	Ingredient Name	ACGIH-TLV TWA	LD/50	LC/50
25852-47-5	43-53	POLYGLYCOL DIMETHACRYLATE		NOT AVAILABLE	NOT AVAILABLE
613-48-9	0.1-1	N,N-DIALKYL TOLUIDINE		NOT AVAILABLE	NOT AVAILABLE
80-15-9	1-3	CUMENE HYDROPEROXIDE		382 MG/KG RAT ORAL 500 MG/KG RAT DERMAL 342 MG/KG MOUSE ORAL 490 MG/KG MOUSE	220 PPM/4H RAT INHALATION 200 PPM/4H MOUSE INHALATION

				DERMAL	
81-07-2	1-3	SACCHARIN		17,000 MG/KG MOUSE ORAL	NOT AVAILABLE
84-74-2	40-43	DIBUTYL PHTHALATE		7499 MG/KG RAT ORAL 3474 MG/KG MOUSE ORAL >20 ML/KG RABBIT DERMAL	4250 MG/M3 RAT INHALATION 25,000 MG/M3/2 HOURS MOUSE INHALATION
9002-84-0	2-3	POLYTETRAFLUOROETHYLENE	NOT AVAILABLE	NOT AVAILABLE	NOT AVAILABLE
9002-88-4	1-5	POLYETHYLENE GLYCOL	10 MG/M3	NOT AVAILABLE	12,000 MG/M3/30MIN MOUSE INHALATION

Section 3: PHYSICAL DATA

Physical state: Liquid.

Appearance & odor: Black
Mild odour.
Translucent.

Odor threshold (ppm): Not available.

Vapour pressure (mmHg): <5 @ 26.6C (80F)

Vapour density (air=1): Not available.

Volatiles (%)

By volume: Not available.

Evaporation rate (butyl acetate = 1): Not available.

Boiling point (°C): > 149°C (> 300°F)

Freezing point (°C): Not available.

pH: Not available.

Specific gravity @ 20 °C: 1.1 @ 23.8C (75F)

Solubility in water (%): Low

Coefficient of water\oil dist.: Not available.

VOC: Not available.

Section 4: FIRE & EXPLOSION DATA

Flammability: Not flammable.

Conditions of flammability: At temperatures at or above flash point.

Extinguishing media: Carbon dioxide, dry chemical, foam.
Water fog.
Water spray.

Special procedures: Self-contained breathing apparatus required.
Firefighters should wear the usual protective gear.

Auto-ignition temperature: Not available.
Flash point (°C), method: > 93.3°C (> 200°F)
Lower flammability limit (% vol): Not available.
Upper flammability limit (% vol): Not available.
Explosion Data
Sensitivity to static discharge: Not available.
Sensitivity to mechanical impact: Not available.
Hazardous combustion products: Hydrogen fluoride.
Hydrofluoric acid.
Explosive power: Not available.

Section 5: REACTIVITY DATA

Chemical stability: Stable under normal conditions.
Conditions of instability: Excessive heat.
Hazardous polymerization: Will not occur.
Incompatible substances: Strong oxidizing agents.
Metallic salts.
Hazardous decomposition products: None known.

Section 6: TOXICOLOGICAL PROPERTIES

Route of entry: Skin contact, eye contact, inhalation and ingestion.
Effects of acute exposure
Eye contact: May cause irritation.
May cause blurred vision.
Skin contact: May cause irritation for sensitive individuals.
Inhalation: May cause irritation of the mucous membranes.
Inhalation of decomposition products of PTFE (over 290°C/554°F) may cause polymer fume fever, a temporary flu-like illness accompanied by fever, chills, and sometimes cough, of approximately 24 hours duration. Repeated episodes of polymer fume fever may cause lung damage.
Ingestion: Aspiration hazard if swallowed.
Effects of chronic exposure: See effects of acute exposure.
LD50 of product, species & route: Not available for mixture, see the ingredients section.
LC50 of product, species & route: Not available for mixture, see the ingredients section.
Exposure limit of material: Not available for mixture, see the ingredients section.
Sensitization to product: Not available.
Carcinogenic effects: Not listed as a carcinogen.

Reproductive effects: Not available.
Teratogenicity: Not available.
Mutagenicity: Not available.
Synergistic materials: Not available.

Section 7: PREVENTATIVE MEASURES

Precautionary Measures

Gloves/Type:



Rubber or plastic.

Respiratory/Type: None required under normal use.

Footwear/Type: Safety shoes per local regulations.

Clothing/Type: Wear adequate protective clothes.

Other/Type: Eye wash facility should be in close proximity.
Emergency shower should be in close proximity.

Ventilation requirements: Adequate ventilation.

Leak/Spill: Absorb with inert material.
Prevent entry into drains, sewers, and other waterways.
Wear appropriate protective equipment.
Dispose of in DOT approved waste containers.

Waste disposal: In accordance with municipal, provincial and federal regulations.

Handling procedures and equipment: Avoid breathing vapors/mists.
Use adequate ventilation.
Wash thoroughly after using, particularly before eating or smoking.
Wear personal protective equipment appropriate to task.
Avoid contact with skin, eyes and clothing.
Launder contaminated clothing prior to reuse.

Storage requirements: Store between -15 and 23.9°C (5-75°F).

Section 8: FIRST AID MEASURES

Skin contact: Remove contaminated clothing and shoes.
Wash thoroughly with soap and water.
Seek medical attention if irritation persists.

Eye contact: Flush with water for at least 15 minutes.
Seek medical attention if irritation persists.

Inhalation: Remove victim to fresh air.
If breathing is difficult get medical attention.

Ingestion: Obtain immediate medical attention.
Do not induce vomiting.
If vomiting occurs, keep head below hips.

Additional information: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any inaccuracies.

Section 9: ADDITIONAL INFORMATION

General note: This material safety data sheet was prepared from information

obtained from various sources, including product suppliers and the Canadian Center for Occupational Health and Safety.

Data prepared by: Global Safety Management
3340 Peachtree Road, #1800
Atlanta, GA 30326

Phone: 877-683-7460
Fax: (877) 683-7462

Web: www.globalsafetynet.com
Email: info@globalsafetynet.com.
